



DYNASTY

YOUR STRATEGIC PARTNER FOR FANS AND LIGHTING SOLUTION


EXCLUSIVE DISTRIBUTION

Over 180 distributors nationwide in China, exporting to 40+ countries worldwide.




PRODUCT PORTFOLIO

Fan lights, Ceiling fan lights, Ceiling fans, Retractable invisible fans, Straight blade fans



KEY ADVANTAGES

Powerful R&D and Innovation Dedicated international trade service team High-Efficiency production (2000+ units/day) 20+ Years on industry experience



FULL CERTIFICATIONS



PACKAGING AND TRANSPORTATION

EXCLUSIVE DISTRIBUTION

1- Embedded
foam Dampproof
Shockproof Pre
ssureproof

2-Brown carton
Hard paper
Strong impact
Prevent damage

3-Customized box
OEM color box
white or brown box



WHY BECOME OUR DISTRIBUTOR ?

- 01 Competitive price**
Competitive distributor price
- 02 High quality production**
Competent operations team to fulfill bulk orders with precision in peak season
- 03 Experienced engineering dept**
Training programs and demo sessions for dealers / distributors for new Products
- 04 Tailored project design**
Company's diverse range of ceiling fan for every customer's Need
- 05 Marketing support**
Comprehensive marketing support and marketing collateral's in regional language's
- 06 Factory visits**
Plant Visit&domestic& international exhibitions
- 07 Multi-cultural teams**
Dedicated account management by our superior sales and back end team for managing orders
- 08 Satisfied payment terms**
- 09 Product warranty**
Full support during warranty claims and subsequent repairs and replacements warranty support



LOW NOISE MOTOR


$\leq 35 \text{ dB(A)}$

Quiet low noise to create a quiet home environment

Variable frequency upgrade mute motor

Frequency conversion 6 speed regulation has been tested to save 70% of electricity compared with ordinary motors.
1 hour as low as 2W62 days as low as 1 degree of electricity, stable operation, feel more like natural wind

 Strong power Powerful	 All copper wire winding winding	 Strong load force Strong	 Higher efficiency efficiency
---	---	--	--





Name	Ceiling Fan Light
Color	White+Wood Grain
Motor wattage	35W
Input voltage	220-240V
Lamp body dimensions	52"
Fan blade size	1420mm
Protection Index	IP20
Material	Iron+Solid Wood
Light Color	3000/4000/550
Light Source	OK LED
Base Type	/

K9083

Applicable Area (square meters)	Installation Type	Switch Type	Fan Blade Speed	Motor Specifications	Lamp Wattage	Is it dimming	Warranty Period	Package Dimensions (Single or Box)
17-28	Boom	Remote control	190	DC	18W	Tri-color dimming	2	86*36.5*18.5



Name	Ceiling Fan Light
Color	1.White+Original Wood Grain 2.White
Motor wattage	40W
Input voltage	220-240V
Lamp body dimensions	52"
Fan blade size	1320mm
Protection Index	IP20
Material	Iron+Solid Wood
Light Color	3000/4000/550
Light Source	OK LED
Base Type	LED

K9098

Applicable Area (square meters)	Installation Type	Switch Type	Fan Blade Speed	Motor Specifications	Lamp Wattage	Is it dimming	Warranty Period	Package Dimensions (Single or Box)
17-28	Boom	Remote control	200	DC	18W	Tri-color dimming	2	72*35*24

OPTIONAL COLOR



Name	Ceiling Fan Light
Color	1.White+Wood Grain 2.Black+Dark Walnut Wood
Motor wattage	35W
Input voltage	220-240V
Lamp body dimensions	52"
Fan blade size	1320mm
Protection Index	IP20
Material	Iron+ABS
Light Color	3000/4000/550
Light Source Base	OK LED
Type	/



K9116

Applicable Area (square meters)	Installation Type	Switch Type	Fan Blade Speed	Motor Specifications	Lamp Wattage	Is it dimming	Warranty Period	Package Dimensions (Single or Box)
13-15	Ceiling-mounted	Remote control	190	DC	18W	Tri-color dimming	2	71*34.5*26.5

OPTIONAL COLOR





Name	Ceiling Fan Light
Color	White+Wood Grain
Motor wattage	35W
Input voltage	220-240V
Lamp body dimensions	52"
Fan blade size	1320mm
Protection Index	IP20
Material	Iron+ABS
Light Color	/
Light Source	/
Base Type	/

K9139

Applicable Area (square meters)	Installation Type	Switch Type	Fan Blade Speed	Motor Specifications	Lamp Wattage	Is it dimming	Is it Period	Warranty	Package Dimensions (Single or Box)
17-28	Boom	Remote control	200	DC	/	/	/	5	68*29*20.5



Name	Ceiling Fan Light
Color	1.White+Original Wood Grain 2.White
Motor wattage	40W
Input voltage	220-240V
Lamp body dimensions	52"
Fan blade size	1320mm
Protection Index	IP20
Material	Iron+Solid Wood
Light Color	/
Light Source Base	/
Type	/

K9159

Applicable Area (square meters)	Installation Type	Switch Type	Fan Blade Speed	Motor Specifications	Lamp Wattage	dimming	Warranty Period	Package Dimensions (Single or Box)
17-28	Ceiling-mounted	Remote control	200	DC	/	/	5	71.6*34.5*23

OPTIONAL COLOR



Name	Ceiling Fan Light
Color	1.Gold Wood Grain 2.White
Motor wattage	40W
Input voltage	220-240V
Lamp body dimensions	52"
Fan blade size	1320mm
Protection Index	IP20
Material	Iron+ABS
Light Color	3000/4000/550
Light Source	OK LED
Base Type	/

K9177

Applicable Area (square meters)	Installation Type	Switch Type	Fan Blade Speed	Motor Specifications	Lamp Wattage	Is it dimming	Warranty Period	Package Dimensions (Single or Box)
13-25	Ceiling-mounted	Remote control	190	DC	18W	Tri-color dimming	2	68*40*25

OPTIONAL COLOR





Name	Ceiling Fan Light
Color	1.Gold and White 2.White+Wood Grain 3.Sand Nickel+Silver
Motor wattage	35W
Input voltage	220-240V
Lamp body dimensions	52"
Fan blade size	1420mm
Protection Index	IP20
Material	Iron+ABS
Light Color	3000/4000/5500K
Light Source	LED
Base Type	/

K9179

Applicable Area (square meters)	Installation Type	Switch Type	Fan Blade Speed	Motor Specifications	Lamp Wattage	Is it dimming	Warranty Period	Package Dimensions (Single or Box)
17-28	Boom	Remote control	200	DC	18W	Tri-color dimming	2	86*36.5*18.5

OPTIONAL COLOR






Name	Ceiling Fan Light
Color	1.White+Original Wood Grain 2.White 3.Black
Motor wattage	40W
Input voltage	220-240V
Lamp body dimensions	56"
Fan blade size	1420mm
Protection Index	IP20
Material	Iron+ABS
Light Color	3000/4000/550
Light Source	0K LED
Base Type	LED

K9192

Applicable Area (square meters)	Installation Type	Switch Type	Fan Blade Speed	Motor Specifications	Lamp Wattage	dimming	Warranty Period	Package Dimensions (Single or Box)
15-28	Boom	Remote control	180	DC	24W	Tri-color dimming	2	69*28*27.5

OPTIONAL COLOR





Name	Ceiling Fan Light
Color	1..Black 2.White+Original Wood Grain 3.White
Motor wattage	35W
Input voltage	220-240V
Lamp body dimensions	30"
Fan blade size	810mm
Protection Index	IP20
Material	Iron+ABS
Light Color	3000/4000/550
Light Source	0K LED
Base Type	LED

K9221

Applicable Area (square meters)	Installation Type	Switch Type	Fan Blade Speed	Motor Specifications	Lamp Wattage	Is it dimming	Warranty Period	Package Dimensions (Single or Box)
8-12	Boom	Remote control	380	DC	18W	Tri-color dimming	2	65*40*32.5

OPTIONAL COLOR





Name	Ceiling Fan Light
Color	White
Motor wattage	40W
Input voltage	220-240V
Lamp body dimensions	52"
Fan blade size	1520mm
Protection Index	IP20
Material	Iron+ABS
Light Color	3000/4000/550
Light Source	OK LED
Base Type	/

K9251

Applicable Area (square meters)	Installation Type	Switch Type	Fan Blade Speed	Motor Specifications	Lamp Wattage	Is it dimming	Warranty Period	Package Dimensions (Single or Box)
22-28	Boom	Remote control	180	DC	24W	Tri-color dimming	2	86*36.5*18.5



Name	Ceiling Fan Light
Color	1.White+Original Wood Grain 2.White
Motor wattage	40W
Input voltage	220-240V
Lamp body dimensions	52"
Fan blade size	1320mm
Protection Index	IP20
Material	Iron+ABS
Light Color	/
Light Source	/
Base Type	/

K9279

Applicable Area (square meters)	Installation Type	Switch Type	Fan Blade Speed	Motor Specifications	Lamp Wattage	Is it dimming	Warranty Period	Package Dimensions (Single or Box)
15-28	Boom	Remote control	180	DC	/	/	5	74*43*25.5

OPTIONAL COLOR





Name	Ceiling Fan Light
Color	Champagne Gold+Walnut Wood
Motor wattage	220-
Input voltage	240V
Lamp body dimensions	52"
Fan blade size	1320mm
Protection Index	IP20
Material	Iron+Solid Wood
Light Color	3000/4000/5500
Light Source	K LED
Base Type	LED

K9297

Applicable Area (square meters)	Installation Type	Switch Type	Fan Blade Speed	Motor Specifications	Lamp Wattage	Is it dimming	Warranty Period	Package Dimensions (Single or Box)
15-22	Boom	Remote control	200	DC	24W	Tri-color dimming	2	82*74*37



K9298

Name	Ceiling Fan Light
Color	Champagne Gold+Walnut Wood
Motor wattage	
Input voltage	220-240V
Lamp body dimensions	52"
Fan blade size	1320mm
Protection Index	IP20
Material	Iron+Solid Wood
Light Color	3000/4000/5500
Light Source	K LED
Base Type	LED

Applicable Area (square meters)	Installation Type	Switch Type	Fan Blade Speed	Motor Specifications	Lamp Wattage	Is it dimming	Warranty Period	Package Dimensions (Single or Box)
15-22	Boom	Remote control	180	DC	24W	Tri-color dimming	2	72*58*34



K9311

Name	Ceiling Fan Light
Color	1.White+Original Wood Grain 2.White
Motor wattage	
Input voltage	220-240V
Lamp body dimensions	64"
Fan blade size	1625mm
Protection Index	IP20
Material	Iron+ABS
Light Color	3000/4000/550
Light Source	OK LED
Base Type	LED



OPTIONAL COLOR

Applicable Area (square meters)	Installation Type	Switch Type	Fan Blade Speed	Motor Specifications	Lamp Wattage	Is it dimming	Warranty Period	Package Dimensions (Single or Box)
22-25	Boom	Remote control	140	DC	24W	Tri-color dimming	2	94*44*27.5



Name	Ceiling Fan Light
Color	1.Black+Walnut Wood 2.White+Original Wood Grain 3.Black 4.White
Motor wattage	40W
Input voltage	220-240V
Lamp body dimensions	52"
Fan blade size	1320mm
Protection Index	IP20
Material	Iron+ABS
Light Color	3000/4000/550
Light Source	OK LED
Base Type	LED

K9319

Applicable Area (square meters)	Installation Type	Switch Type	Fan Blade Speed	Motor Specifications	Lamp Wattage	Is it dimming	Warranty Period	Dimensions (Single or Box)
17-28	Boom	Remote control	180	DC	18W	Tri-color dimming	2	74*43*25.5

OPTIONAL COLOR



Name	Ceiling Fan Light
Color	1.White+Original Wood Grain 2.Black+Walnut Wood 3.White
Motor wattage	40W
Input voltage	220-240V
Lamp body dimensions	52"
Fan blade size	1320mm
Protection Index	IP20
Material	Iron+Solid Wood
Light Color	/
Light Source	/
Base Type	/

K9516

Applicable Area (square meters)	Installation Type	Switch Type	Fan Blade Speed	Motor Specifications	Lamp Wattage	Is it dimming	Warranty Period	Package Dimensions (Single or Box)
17-28	Boom	Remote control	200	DC	/	/	5	67*23.5*31.5

OPTIONAL COLOR





Name	Ceiling Fan Light
Color	1.White 2.Black+Walnut Wood
Motor wattage	40W
Input voltage	220-240V
Lamp body dimensions	52"
Fan blade size	1320mm
Protection Index	IP20
Material	Iron+Solid Wood
Light Color	3000/4000/5500K
Light Source	LED
Base Type	LED

K9517

Applicable Area (square meters)	Installation Type	Switch Type	Fan Blade Speed	Motor Specifications	Lamp Wattage	Is it dimming	Warranty Period	Package Dimensions (Single or Box)
17-28	Boom	Remote control	200	DC	IP20	Tri-color dimming	2	67*23.5*31.5

OPTIONAL COLOR





Name	Ceiling Fan Light
Color	1.White 2.Black+Walnut Wood 3.Black 4.White+Original Wood Grain
Motor wattage	40W
Input voltage	220-240V
Lamp body dimensions	52"
Fan blade size	1320mm
Protection Index	IP20
Material	Iron+ABS
Light Color	3000/4000/550
Light Source	0K LED
Base Type	LED

K9538

Applicable Area (square meters)	Installation Type	Switch Type	Fan Blade Speed	Motor Specifications	Lamp Wattage	Is it dimming	Warranty Period	Package Dimensions (Single or Box)
17-28	Boom	Remote control	200	DC	18W	Tri-color dimming	2	67*23.5*31.5

OPTIONAL COLOR



Name	Ceiling Fan Light
Color	1.Black 2.Black+Walnut Wood
Motor wattage	40W
Input voltage	220-240V
Lamp body dimensions	52"
Fan blade size	1320mm
Protection Index	IP20
Material	Iron+ABS
Light Color	3000/4000/550
Light Source	OK LED
Base Type	LED



K9539

Applicable Area (square meters)	Installation Type	Switch Type	Fan Blade Speed	Motor Specifications	Lamp Wattage	dimming	Warranty Period	Package Dimensions (Single or Box)
17-28	Ceiling-mounted	Remote control	200	DC	18W	Tri-color dimming	2	72*35*24

OPTIONAL COLOR



Name	Ceiling Fan Light
Color	1.Black+Walnut Wood 2.White+Original Wood Grain
Motor wattage	40W
Input voltage	220-240V
Lamp body dimensions	52"
Fan blade size	1320mm
Protection Index	IP20
Material	Iron+ABS
Light Color	3000/4000/550
Light Source	OK LED
Base Type	LED



K9565

Applicable Area (square meters)	Installation Type	Switch Type	Fan Blade Speed	Motor Specifications	Lamp Wattage	dimming	Warranty Period	Package Dimensions (Single or Box)
17-28	Boom	Remote control	180	DC	18W	Tri-color dimming	2	60*30*32

OPTIONAL COLOR




Name	Ceiling Fan Light
Color	1.Black 2.White+Original Wood Grain 3.White
Motor wattage	40W
Input voltage	220-240V
Lamp body dimensions	52"
Fan blade size	1320mm
Protection Index	IP20
Material	Iron+Solid Wood
Light Color	3000/4000/550
Light Source	OK LED
Base Type	LED

K9566

Applicable Area (square meters)	Installation Type	Switch Type	Fan Blade Speed	Motor Specifications	Lamp Wattage	Light dimming	Warranty Period	Package Dimensions (Single or Box)
17-28	Boom	Remote control	200	DC	IP20	Tri-color dimming	2	67*23.5*31.5

OPTIONAL COLOR





Name	Ceiling Fan Light
Color	1.White 2.White+Original Wood Grain
Motor wattage	40W
Input voltage	220-240V
Lamp body dimensions	52"
Fan blade size	1320mm
Protection Index	IP20
Material	Iron+ABS
Light Color	3000/4000/550
Light Source	OK LED
Base Type	LED

K9570

Applicable Area (square meters)	Installation Type	Switch Type	Fan Blade Speed	Motor Specifications	Lamp Wattage	dimming	Warranty Period	Package Dimensions (Single or Box)
17-28	Boom	Remote control	200	DC	18W	Tri-color dimming	2	67*23.5*31.5

OPTIONAL COLOR





Name	Ceiling Fan Light
Color	1.Black 2.White+Original Wood Grain 3.White 40W
Motor wattage	
Input voltage	220-240V
Lamp body dimensions	52"
Fan blade size	1320mm
Protection Index	IP20
Material	Iron+Solid Wood
Light Color	3000/4000/550
Light Source	OK LED
Base Type	LED

K9573

Applicable Area (square meters)	Installation Type	Switch Type	Fan Blade Speed	Motor Specifications	Lamp Wattage	dimming	Warranty Period	Package Dimensions (Single or Box)
17-28	Boom	Remote control	200	DC	IP20	Tri-color dimming	2	67*23.5*31.5

OPTIONAL COLOR





Name	Ceiling Fan Light
Color	1.Black 2.White 3. Black+Redwood 4.White+Original Wood Grain
Motor wattage Input	40W
voltage	220-240V
Lamp body dimensions	52"
Fan blade size	1320mm
Protection Index	IP20
Material	Iron+Solid Wood
Light Color	3000/4000/5500K LED
Light Source	LED
Base Type	

K9583

Applicable Area (square meters)	Installation Type	Switch Type	Fan Blade Speed	Motor Specifications	Lamp Wattage	dimming	Warranty Period	Package Dimensions (Single or Box)
17-28	Boom	Remote control	200	DC	18W	Tri-color dimming	2	67*23.5*31.5

OPTIONAL COLOR





Name	C ceiling Fan Light
Color	1.White+Walnut Wood 2.White+Original Wood Grain
Motor wattage	40W
Input voltage	220-240V
Lamp body dimensions	52"
Fan blade size	1320mm
Protection Index	IP20
Material	Iron + Solid Wood
Light Color	3000/4000/5500K
Light Source	LED
Base Type	LED

K9586

Applicable Area (square meters)	Installation Type	Switch Type	Fan Blade Speed	Motor Specifications	Lamp Wattage	dimming	Warranty Period	Package Dimensions (Single or Box)
17-28	Ceiling-mounted	Remote control	200	DC	18W	Tri-color dimming	2	72*35*24

OPTIONAL COLOR



Name	Ceiling Fan Light
Color	1.White+Walnut Wood 2.White+Original Wood Grain
Motor wattage	40W
Input voltage	220-240V
Lamp body dimensions	52"
Fan blade size	1320mm
Protection Index	IP20
Material	Iron+Solid Wood
Light Color	3000/4000/5500K
Light Source	LED
Base Type	LED

K9587

Applicable Area (square meters)	Installation Type	Switch Type	Fan Blade Speed	Motor Specifications	Lamp Wattage	Is it dimming	Warranty Period	Package Dimensions (Single or Box)
17-28	Ceiling-mounted	Remote control	200	DC	18W	Tri-color dimming	2	72*35*24

OPTIONAL COLOR




Name	Ceiling Fan Light
Color	1.White+BambooWeaving 2.Black+BambooWeaving 3.White+BambooWeaving+OriginalWoodGrain
Motor wattage	40W
Input voltage	220-240V
Lamp body dimensions	52"
Fan blade size	1320mm
Protection Index	IP20
Material	Iron+Solid Wood
Light Color	3000/4000/5500K
Light Source	LED
Base Type	LED

K9597


Applicable Area (square meters)	Installation Type	Switch Type	Fan Blade Speed	Motor Specifications	Lamp Wattage	dimming	Warranty Period	Package Dimensions (Single or Box)
17-28	Boom	Remote control	200	DC	18W	Tri-color dimming	2	67*23.5*31.5

OPTIONAL COLOR





COMMON LIGHT SOURCES



DC variable frequency patent remote control



DC variable frequency patent wall control



Note: During the installation of ceiling fan lamp, the distance between the blade and the ground must be greater than 2.3m, and the distance between the blade tail and the wall or barrier must be greater than 60cm.

info@dynastyhvacinternational.com.hk
www.dynastyhvacinternational.com.hk



Yuanfu Industrial Zone, No.5 Meixing Street,
Guzhen, Zhongshan City, Guangdong Province